# SWOS/OU APPE Preceptor Evaluation of Student (Community, Institutional, Selective) PRECEPTOR INSTRUCTIONS

#### General Instructions:

- Review the evaluation and decide which components will be covered on your rotation.
- If an area will not be covered during the rotation, mark "n/a" for non-applicable.
- Share this information with students on the 1<sup>st</sup> day of the rotation.
- Note that certain items do not have "n/a" as an option, as students are expected to demonstrate knowledge, skills, or attitudes in these categories on every rotation.
- An individual rotation site is not expected to cover all the evaluation areas, only those pertinent to the practice setting and rotation.
- Space is provided at the end for you to add and evaluate unique competencies at your site.
- Fill in the number of hours unrelated to College or professional activities that were missed and not made up (if any) at the end of the form.
- If you have any concerns about the student's professional behavior or interpersonal skills, check the line at the end of the form.

#### Using the 1 to 5 Scale:

- When performing final evaluation, consider a 3 rating as "meets expectations" and begin assessing each item at the 3 column.
- If the student is performing lower than the criteria for a score of 3, read the criteria for 2, and if these criteria aren't met, read the criteria for 1.
- If the student is performing above the criteria for a score of 3, read the criteria for 4, and if these criteria do not fit the performance, review the criteria for 5.
- For each competency that you evaluate, mark one rating of 1,2,3,4, or 5 which best describes the student's performance.
- Your midpoint answers are displayed in the far left column for your reference.

#### **Final Evaluation Instructions:**

- Rate the student's performance according to the 1 to 5 scale. If an evaluation category was not covered, mark "n/a."
- Review the final evaluation form with the student.

#### Written comments:

- Are required for any score of 1 ("unacceptable performance"), 2 ("marginal performance"), OR 5 ("exceeds expectations").
- Are encouraged for all areas evaluated.

### If you have any questions, please contact:

Christy F. Cox, M.Ed. Pharm.D.

Director of Experiential Education

SWOSU College of Pharmacy Pasteur Medical Building
1111 N. Lee Ave. Suite #241

Oklahoma City, OK 73103

Phone 405-601-8335

Fax 405-601-1201

e-mail christy.cox@swosu.edu

# FOUNDATIONAL KNOWLEDGE AND SKILLS

(Question 1 of 33)

| Drug & Disease<br>State<br>Knowledge                     |   | ı   | Final Assessment  |   |  |
|--|---|---|---|---|--|
| J  | Guesses at basic<br>disease & drug<br>information or related<br>content. Major gaps in<br>essential knowledge | Often unable to explain basic principles of drugs & diseases or related content | Explains basic principles of drugs & diseases or related content but lacks detail | Explains drugs &<br>diseases or related<br>content often in<br>detail | Explains drugs & diseases or related content in detail & depth |
| Midpoint Answer for<br>Drug & Disease State<br>Knowledge | 1   | 2   | 3   | 4   | 5  |

(Question 2 of 33)

| Final Assessment                                |   |   |  |  |  |  |  |  |  |
|---|---|---|--|--|--|--|--|--|--|
| Unable to apply basic problem solving processes | Able to generate some solutions to problems, requires prompting to prioritize choices | Able to generate solutions to problems & usually able to prioritize choices | Consistently able to generate, prioritize & defend solutions to problems   | Always effective at generating, prioritizing & defending solutions to problems   | N/A  |  |  |  |  |
| 1   | 2   | 3   | 4  | 5  | 0  |  |  |  |  |
| _   | problem solving   | problem solving solutions to problems, requires prompting to                | Unable to apply basic problem solving processes  Able to generate some solutions to problems, requires prompting to  Able to generate some solutions to problems, we usually able to | Unable to apply basic problem solving processes  Able to generate some solutions to problems, requires prompting to  Able to generate some solutions to problems solutions to problems & usually able to defend solutions to | Unable to apply basic problem solving processes  Able to generate some solutions to problems, processes  Able to generate some solutions to problems, and problems solutions to problems solutions to problems and processes  Able to generate some solutions to problems solutions to problems and processes  Consistently able to generate, prioritize & generate, prioritize & generating, prioritizing defend solutions to generate some solutions to generate, prioritize & generate, priorit |  |  |  |  |

(Question 3 of 33)

| Final Assessment   |   |   |   |  |  |  |  |  |
|--|---|---|---|--|--|--|--|--|
| Unable to accurately identify the requestors' need. Does not select source of information appropriate for situation or does not interpret literature or information correctly; does not seek guidance. Response formulated is incomplete or unacceptable | Has poor understanding of requestors' need. Retrieval of information is not thorough & interpretation of information is incomplete, requires significant guidance. Response formulated must be redone for acceptability | Has fair understanding of requestors' need. Appropriately researches & interprets most literature needed, requires some guidance. Response formulated needs revision for acceptability  | Asks appropriate questions to requestor to determine requestor's information need. Identifies source of information suitable for situation, appropriately researches & interprets all literature needed with minimal guidance. Delivers well organized response with minor revisions  | Understands requestors' need, elicits new information from the requestor, & confirms information with requestor. Timely identification of information with independent retrieval & interpretation of all literature. Effectively delivers information in a well- organized response & method appropriate for situation with no revisions necessary   | N/A  |  |  |  |
| 1  | 2   | 3   | 4   | 5  | 0  |  |  |  |
|  | identify the requestors' need. Does not select source of information appropriate for situation or does not interpret literature or information correctly; does not seek guidance. Response formulated is incomplete or  | identify the requestors' need. Does not select source of information appropriate for situation or does not interpret literature or information correctly; does not seek guidance. Response formulated is incomplete or unacceptable  understanding of requestors' need. Retrieval of information is not thorough & interpretation of information is incomplete, requires significant guidance. Response formulated must be redone for acceptability | Unable to accurately identify the requestors' need.  Does not select source of information appropriate for situation or does not interpret literature or information correctly; does not seek guidance. Response formulated is incomplete or unacceptable  Has poor understanding of requestors' need. Retrieval of information is not thorough & interpretation of information is interpretation of information is literature needed, requires some guidance. Response formulated must be redone for acceptability  Has fair understanding of requestors' need. Appropriately researches & interprets most literature needed, requires some guidance. Response formulated must be redone for acceptability | Unable to accurately identify the requestors' need.  Does not select source of information appropriate for situation or does not interpret literature or information correctly; does not seek guidance. Response formulated is incomplete or unacceptable  Has poor understanding of requestors' need. Retrieval of information is interpretation of information is interpretation of information is incomplete, requires significant guidance. Response formulated must be redone for unacceptable  Has fair understanding of requestors' need. Appropriately researches & information need. Identifies source of information suitable requires some guidance. Response formulated must be redone for acceptability  Asks appropriate questions to requestor's information need. Repropriately researches & information suitable for situation, appropriately researches & interpretation of information is incomplete, requires some guidance. Response formulated needs revision for acceptability  Retrieval of information is interpretation of information reduction. Appropriately researches & interpreta most lidentifies source of information suitable for situation, appropriately researches & interpreta most lidentifies source of information or acceptability researches & interpretation of information is interpreta | Unable to accurately identify the requestors' need.  Does not select source of information appropriate for situation or does not information correctly; does not seek guidance. Response formulated is incomplete or unacceptable  Has poor understanding of requestors' need. Retrieval of information is incomplete or unacceptable  Has fair understanding of requestors' need. Appropriately researches & information need. literature needed, requires some guidance. Response formulated must be redone for unacceptable  Has fair understanding of requestors' need. Appropriately researches & information need. literature needed, requires some guidance. Response formulated must be redone for unacceptable  Has fair understanding of requestors' need. Appropriately researches & information need. literature needed, requires some guidance. Response formulated needs revision for acceptability  Has poor understanding of requestors' need. Appropriately researches & information need. literature needed, interprets most literature needed, requires some guidance. Response formulated needs revision for acceptability  Has fair understanding of requestors' need. Appropriately researches & information suitable for situation, appropriately researches & interpreta ill literature needed with minimal guidance. Delivers well organized response & method appropriate for situation or acceptability delivers information in a well- organized response & method appropriate for situation with no revisions necessary |  |  |  |

(Question 4 of 33)

| nable to accurately alculate & measure uantities of gredients. Lacks ufficient skills to afely compound rescriptions by urrent standards | Makes mistakes in calculating & measuring quantities of ingredients. Has difficulty safely compounding prescriptions by | Can accurately calculate & measure quantities of ingredients. Has sufficient skills to safely compound | Can accurately calculate & measure quantities of ingredients & identifies incompatibilities.                | Can accurately calculate & measure quantities of ingredients, identifies incompatibilities & resolves        |                                       |
|--|---|--|---|--|---------------------------------------|
| ment standards   | current standards<br>without significant<br>pharmacist guidance   | prescriptions by<br>current standards but<br>with continuous<br>pharmacist guidance                    | Prepares compounded prescriptions accurately & safely by current standards with minimal pharmacist guidance | incompatibilities. Prepares compounded prescriptions accurately, safely & independently by current standards | N/A                                   |
| 1  | 2   | 3  | 4   | 5  | 0                                     |
|  | 1   | 1 2  | 1 2 3   | pharmacist guidance  | pharmacist guidance current standards |

(Question 5 of 33)

| Foundational Knowledge and Skills - Midpoint Comments |  |
|---|--|
| Foundational Knowledge and Skills - Final Comments    |  |

# **DIRECT PATIENT CARE**

(Question 6 of 33)

| Collecting Information & Identifying Patient Needs                                 | Final Assessment   |   |  |  |   |     |  |  |  |
|--|--|---|--|--|---|-----|--|--|--|
|  | Unable to obtain obvious patient information. Unable to identify patient's primary reason for seeking care. Selects inappropriate resources for information or unable to elicit information from appropriate resources | Requires assistance in obtaining obvious patient information. Requires prompting to identify patient's primary reason for seeking care. Inconsistently uses appropriate resources for information (e.g. patient, caregiver, medical record, other healthcare professionals) | Obtains obvious patient information. Able to identify patient's primary reason for seeking care. Uses some appropriate resources for information (e.g. patient, caregiver, medical record, other healthcare professionals) | Efficiently obtains complete patient information & makes attempt to elicit details. Able to identify patient's primary reason for seeking care. Uses appropriate resources for information (e.g. patient, caregiver, medical record, other healthcare professionals) | Efficiently obtains complete & detailed patient information. Able to identify patient's primary reason for seeking care. Independently uses appropriate resources for information (e.g. patient, caregiver, medical record, other healthcare professionals) | N/A |  |  |  |
| Midpoint Answer for<br>Collecting<br>Information &<br>Identifying Patient<br>Needs | 1  | 2   | 3  | 4  | 5   | 0   |  |  |  |

(Question 7 of 33)

| Final Assessment  |  |   |  |   |   |  |  |  |
|---|--|---|--|---|---|--|--|--|
| Unable to interpret subjective & objective patient data. Unable to identify drugrelated problems. Unable to develop a patient-specific problem list | Interprets some subjective & objective patient data. Identifies some basic drug-related problems. Develops patient-specific problem list, unable to prioritize | Interprets most subjective & objective patient data. Identifies basic drugrelated problems. Develops patient-specific problem list & usually able to prioritize problems, but sometimes needs prompting   | Interprets pertinent patient data & usually makes reasonable assumptions when data is incomplete. Identifies majority of drug- related problems. Develops patient-specific problem list & usually able to prioritize   | Interprets all pertinent patient data & makes reasonable assumptions when data is incomplete. Identifies all drugrelated problems. Develops patientspecific problem list with prioritization  | N/A   |  |  |  |
| 1   | 2  | 3   | 4  | 5   | 0   |  |  |  |
|   | subjective & objective patient data. Unable to identify drugrelated problems. Unable to develop a patient-specific problem                                     | subjective & objective patient data. Unable to identify drugrelated problems. Unable to develop a patient-specific problem  subjective & objective patient data. Identifies some basic drugrelated problems. Develops patient-specific problem list, unable to prioritize | subjective & objective patient data. Identifies some basic drug-related problems. Unable to idevelop a patient-specific problem list  list  subjective & objective patient data. Identifies some basic drug-related problems. Develops patient-specific problem list, unable to prioritize  subjective & objective patient data. Identifies basic drug-related problems. Develops patient-specific problem list, unable to prioritize  subjective & objective patient data. Identifies basic drug-related problems. Develops patient-specific problem list, unable to prioritize problems, but sometimes needs | subjective & objective patient data. Identifies some basic drug-related problems. Unable to idevelop a patient-specific problem list unable to provide list subjective & objective subjective & objective patient data. Identifies some basic drug-related problems. Develops patient-specific problem list, unable to prioritize list subjective & objective patient data. Identifies basic drug-related problems. Develops patient-specific problem list wusually able to prioritize problems, but sometimes needs patient data & usually makes reasonable assumptions when data is incomplete. Identifies problem list & usually makes reasonable assumptions when data is incomplete. Identifies problem list & usually problems. Develops patient-specific problem list & usually makes reasonable assumptions when data is incomplete. Identifies patient data. Identifies basic drug-related problems. Develops patient-specific problem list & usually makes reasonable assumptions when data is incomplete. Identifies patient data. Identifies basic drug-related problems. Develops patient-specific problem list & usually able to prioritize problems, but sometimes needs | subjective & objective patient data. Identifies some basic drug-related problems. Unable to develop a patient-specific problem list unable to prioritize list subjective & objective patient data. Identifies basic drug-related problems. Develops patient-specific problem list, unable to prioritize list subjective & objective patient data. Identifies basic drug-related problems. Develops patient-specific problem list wunable to prioritize problems, but sometimes needs patient data. Identifies basic drug-related problems. Develops patient-specific problem list & usually patient data & usually makes reasonable assumptions when data is incomplete. Identifies majority of drug-related problems. Develops patient-specific problems. Develops patient-specific problem list & usually patient data. Usually makes reasonable assumptions when data is incomplete. Identifies all drug-related problems. Develops patient-specific problem list & usually able to prioritize problems, but sometimes needs |  |  |  |

(Question 8 of 33)

| Final Assessment   |  |   |  |  |  |  |  |  |  |
|--|--|---|--|--|--|--|--|--|--|
| Unable to recommend appropriate patient- specific drug therapy regimens & self-management techniques | Sometimes recommends reasonable drug therapy regimens, lacks rationale & individualization | Recommends<br>reasonable drug<br>therapy regiments,<br>although choice is not<br>always optimal   | Usually recommends optional patient- specific drug therapy regimens & selfmanagement techniques with rationale   | Recommends evidence-<br>based patient-specific<br>drug therapy regimens<br>& self- management<br>techniques with<br>rationale & supporting<br>literature   | N/A  |  |  |  |  |
| 1  | 2  | 3   | 4  | 5  | 0  |  |  |  |  |
|  | appropriate patient-<br>specific drug therapy<br>regimens & self-                          | appropriate patient- specific drug therapy regimens & self- management techniques  recommends reasonable drug therapy regimens, lacks rationale & | Unable to recommend appropriate patient-specific drug therapy regimens & self-management techniques  Sometimes recommends reasonable drug therapy regimens, lacks rationale & individualization  Recommends reasonable drug therapy regiments, although choice is not always optimal | Unable to recommend appropriate patient- specific drug therapy regimens & self- management techniques  Sometimes recommends reasonable drug therapy regimens, lacks rationale & individualization  Recommends reasonable drug therapy regiments, although choice is not always optimal  Usually recommends optional patient- specific drug therapy regimens & self- management techniques with rationale | Unable to recommend appropriate patient-specific drug therapy regimens & self-management techniques  Sometimes recommends reasonable drug therapy regimens, lacks rationale & individualization  Recommends reasonable drug therapy regiments, although choice is not always optimal rationale  Usually recommends optional patient-specific drug therapy regimens & self-management techniques with rationale & supporting literature |  |  |  |  |

(Question 9 of 33)

| Implementation of Therapeutic Plan                     |   | Final Assessment   |  |  |   |     |  |  |  |  |
|--|---|--|--|--|---|-----|--|--|--|--|
|  | Unable to implement care plans in collaboration with other health care professionals & the patient or caregiver | Require assistance in implementing care plans in collaboration with other health care professionals & the patient or caregiver | Sometimes implements care plans in collaboration with other health care professionals & the patient or caregiver | Usually implements care plans in collaboration with other health care professionals & the patient or caregiver | Consistently implements care plans in collaboration with other health care professionals & the patient or caregiver | N/A |  |  |  |  |
| Midpoint Answer for Implementation of Therapeutic Plan | 1   | 2  | 3  | 4  | 5   | 0   |  |  |  |  |

(Question 10 of 33)

| Therapeutic<br>Plan<br>Monitoring                     | Final Assessment   |   |   |  |   |     |  |  |  |
|---|--|---|---|--|---|-----|--|--|--|
| J   | Unable to identify therapeutic endpoints & monitoring parameters | Able to identify some therapeutic endpoints. Unable select proper monitoring parameters | Usually able to identify therapeutic endpoints. Understands monitoring parameters & uses them to evaluate patient response to therapy | Consistently identifies therapeutic endpoints & monitoring parameters. Sometimes develops alternate plan based on patient's changing needs | Consistently identifies therapeutic endpoints; consistently identifies & understands implications of monitoring parameters. Develops alternate plan based on patient's changing needs | N/A |  |  |  |
| Midpoint Answer<br>for Therapeutic<br>Plan Monitoring | 1  | 2   | 3   | 4  | 5   | 0   |  |  |  |

(Question 11 of 33)

| Health &<br>Wellness<br>Promotor                     | Final Assessment  |  |   |   |  |     |  |  |  |
|--|---|--|---|---|--|-----|--|--|--|
|  | Shallow knowledge of areas for patient health promotion. Fails to identify opportunities & makes no attempt to promote wellness & health behaviors when talking with patients | Occasionally identifies opportunities for patient health promotion. Makes little attempt to counsel patients regarding wellness & health behaviors | Usually identifies opportunities for patient health promotion. Usually attempts to counsel patients regarding wellness & health behaviors | Consistently identifies opportunities for patient health promotion. Counsels patients regarding wellness & health behaviors | Consistently identifies opportunities for patient health promotion tailoring to specific patient needs. Counsels patients regarding wellness & health behaviors specific to individual patient needs | N/A |  |  |  |
| Midpoint Answer<br>for Health &<br>Wellness Promotor | 1   | 2  | 3   | 4   | 5  | 0   |  |  |  |

(Question 12 of 33)

| Educator                     |  |  | Final Assessme  | ent   |  |     |
|------------------------------|--|--|---|---|--|-----|
|                              | Unable to identify educational needs. Unable to deliver content &/or provides incorrect information. Unaware of need to assess recipient understanding of information provided | Occasionally identifies educational needs. Delivers content but requires significant intervention from preceptor. Requires significant intervention from preceptor to assess recipient understanding | Usually identifies educational needs. Effectively delivers content with minimal intervention from preceptor. Requires minimal intervention from preceptor to assess recipient understanding | Consistently identifies educational needs. Effectively delivers content without intervention from preceptor. Consistently assesses recipient understanding of information without intervention from preceptor | Consistently identifies educational needs & appropriate instructional method(s). Effectively delivers organized & specific content without intervention. Effectively & independently assesses recipient understanding of information | N/A |
| Midpoint Answer for Educator | 1  | 2  | 3   | 4   | 5  | 0   |
|                              |  |  |   |   |  |     |

(Question 13 of 33)

| Health Literacy<br>/Cultural<br>Sensitivity                       | Final Assessment  |   |   |  |   |     |  |
|---|---|---|---|--|---|-----|--|
|   | Does not recognize<br>health literacy &/or<br>respect patients'<br>socioeconomic,<br>religious, cultural, &<br>moral concerns &/or<br>value systems | Inconsistently recognizes health literacy &/or respects patients' socioeconomic, religious, cultural, & moral concerns &/or value systems | Often recognizes health literacy & respects patients' socioeconomic, religious, cultural, & moral concerns &/or value systems | Consistently recognizes health literacy & respects patients' socioeconomic, religious, cultural, & moral concerns &/or value systems | Consistently recognizes health literacy, respects, & makes accommodations for patients' socioeconomic, religious, cultural, & moral concerns &/or value systems | N/A |  |
| Midpoint Answer<br>for Health<br>Literacy/Cultural<br>Sensitivity | 1   | 2   | 3   | 4  | 5   | 0   |  |

(Question 14 of 33)

| Communicator                     | Final Assessment  |  |   |  |   |     |  |
|----------------------------------|---|--|---|--|---|-----|--|
|                                  | Does not listen. Does<br>not make eye<br>contact, unable to<br>answer questions.<br>Written work is<br>poorly organized &<br>incomplete | Listens but is easily distracted or is inattentive. Speaks unclearly, is disorganized, mumbles or uses incorrect terminology; is apprehensive, lacks assertiveness. Incomplete or excessive information presented. Written work has spelling or grammatical errors; rewrite required | Listens but is sometimes distracted. Is clear & organized with speech, but does not probe for questions or misunderstandings. Information is generally complete. Student needs assistance with data organization or appropriate wording; occasional rewrites needed | Listens attentively Is clear & organized with speech; probes for questions & misunderstandings. Information is complete, concise & well organized. Appropriate use of medical terminology; no grammatical or spelling errors | Actively listens & clarifies information. Is clear & organized with speech & is assertive. Probes for questions & misunderstandings. Exceptional ability to organize information into concise format. Is flexible in adapting writing style to different formats; excellent medical terminology & grammar | N/A |  |
| Midpoint Answer for Communicator | 1   | 2  | 3   | 4  | 5   | 0   |  |
|                                  |   |  |   |  |   |     |  |

# (Question 15 of 33)

| Direct Patient Care -<br>Midpoint Comments |  |
|--|--|
| Direct Patient Care - Final Comments       |  |

# INTERPROFESSIONAL COLLABORATION

(Question 16 of 33)

| Collaborator                     | Final Assessment  |   |  |   |  |     |  |
|----------------------------------|---|---|--|---|--|-----|--|
|                                  | Unaware of roles & responsibilities of team members, lacks focus on collaborative problem solving. Unable to communicate with team members; lacks accountability. Unable to provide patient specific recommendations to healthcare team members | Occasionally identifies roles & responsibilities of team members & attempts collaborative problem solving. Requires significant prompting/correction to appropriately communicate with team; minimally accountable. Occasionally provides patient specific recommendations to healthcare team members with preceptor assistance | Usually identifies roles & responsibilities of team members & promotes collaborative problem solving. Usually communicates appropriately with team; generally accountable & flexible. Provides patient specific recommendations to healthcare team members with minimal preceptor assistance | Consistently identifies roles & responsibilities of team members & facilitates collaborative problem solving. Consistently communicates appropriately with team; is accountable & flexible. Provides patient specific recommendations to healthcare team members without preceptor correction | Effectively identifies roles & responsibilities of team members & initiates collaborative problem solving. Effectively communicates appropriately & with confidence; always accountable & flexible. Functions as an integrated member of the healthcare team | N/A |  |
| Midpoint Answer for Collaborator | 1   | 2   | 3  | 4   | 5  | 0   |  |

(Question 17 of 33)

| (Question 17 of 55)               |  |
|-----------------------------------|--|
| Interprofessional Collaboration - |  |
| Midpoint Comments                 |  |
| Interprofessional Collaboration - |  |
| Final Comments                    |  |

### PRACTICE/SYSTEMS MANAGEMENT

(Question 18 of 33)

| Pharmacy<br>Operations              | Final Assessment  |   |   |   |   |     |  |
|-------------------------------------|---|---|---|---|---|-----|--|
|                                     | Possesses no knowledge of dispensing system. Unable to utilize onsite technology. Is unable to apply pharmacy laws & regulations to practice. Makes errors in dispensing prescriptions. Fails to comprehend basic concepts of inventory control, financial decisionmaking, the importance of being sensitive to personnel management issues, & the role of marketing in pharmacy practice | Possesses little knowledge of dispensing system. Requires repeated prompting to utilize onsite technology. Requires assistance in applying pharmacy law & regulations in practice. Makes occasional errors in dispensing prescriptions. Comprehends some concepts including inventory control, financial decisionmaking, the importance of being sensitive to personnel management issues, responsibilities of health professionals, & the role of marketing in pharmacy practice | Possesses basic knowledge & understanding of the dispensing system. Requires occasional prompting to utilize onsite technology. Requires occasional assistance in applying pharmacy law & regulations to practice. Accurately & safely dispenses prescriptions. Understands most of the concepts including inventory control, financial decisionmaking, the importance of being sensitive to personnel management issues, responsibilities of health professionals & the role of marketing in pharmacy practice | Possesses knowledge & understanding of the dispensing system. Utilizes onsite technology with minimal assistance. Applies pharmacy law & regulations to practice with little to no assistance. Accurately & safely dispenses prescriptions. Understands concepts including inventory control, financial decision-making, the importance of being sensitive to personnel management issues, responsibilities of health professionals, & the role of marketing in pharmacy practice | Possesses knowledge and understanding of the dispensing system & is able to troubleshoot problems. Able to fully utilize onsite technology. Applies pharmacy law & regulations to practice. Accurately, safely & efficiently dispenses prescriptions. Understands concepts & displays a detailed understanding about inventory control, financial decision-making, the importance of being sensitive to personnel management issues, responsibilities of health professionals, & the role of marketing in pharmacy practice | N/A |  |
| Midpoint Answer<br>for Collaborator | 1   | 2   | 3   | 4   | 5   | 0   |  |

(Question 19 of 33)

| Medication use<br>Evaluation                        | Final Assessment  |   |  |  |   |     |  |  |
|---|---|---|--|--|---|-----|--|--|
|   | Unaware of the pharmacy or institutions formulary policy. Does not participate in the pharmacy or institutions reporting of medication errors, ADR's & DUE's. Unaware & unable to apply principles of outcomes research, pharmacoeconomics, & quality assessment to provision or evaluation of patient care | Understands some of the pharmacy or institutions formulary policy. Sometimes participates in the pharmacy or institutions reporting of medication errors, ADR's DUE's. Aware of but unable to apply principles of outcomes research, pharmacoeconomics, & quality assessment to provision or evaluation of patient care | Understands most of the pharmacy or institutions formulary policy. Participates in the pharmacy or institutions reporting of medication errors, ADR's & DUE's. Aware & sometimes applies principles of outcomes research, pharmacoeconomics, & quality assessment to provision or evaluation of patient care | Comprehends the pharmacy or institutions formulary policy. Independently participates in the pharmacy or institutions reporting of medication errors, ADR's & DUE's. Usually applies principles of outcomes research, pharmacoeconomics, & quality assessment to provision or evaluation of patient care | Comprehends & utilizes the pharmacy or institutions formulary policy. Independently participates in the pharmacy or institutions reporting of medication errors, ADR's & DUE's & can interpret data. Consistently applies principles of outcomes research, pharmacoeconomics, & quality assessment to provision or evaluation of patient care | N/A |  |  |
| Midpoint Answer for<br>Medication use<br>Evaluation | 1   | 2   | 3  | 4  | 5   | 0   |  |  |

# (Question 20 of 33)

| Final Assessment  |  |  |  |  |   |  |  |
|---|--|--|--|--|---|--|--|
| Unable to apply evidence-<br>based<br>literature/guidelines in<br>specific patient<br>populations (i.e.<br>pediatrics, geriatrics,<br>diabetes) | Requires significant intervention from preceptor to apply evidence-based literature/guidelines in specific patient populations (i.e. pediatrics, geriatrics, diabetes) | Requires minimal intervention from preceptor to apply evidence-based literature/guidelines in specific patient populations (i.e. pediatrics, geriatrics, diabetes)   | Consistently applies<br>evidence-based<br>literature/guidelines<br>in specific patient<br>populations (i.e.<br>pediatrics,<br>geriatrics, diabetes)  | Effectively interprets & applies evidence-based literature/guidelines in specific patient populations (i.e. pediatrics, geriatrics, diabetes)  | N/A   |  |  |
| 1   | 2  | 3  | 4  | 5  | 0   |  |  |
|   | based literature/guidelines in specific patient populations (i.e. pediatrics, geriatrics,  | based literature/guidelines in specific patient populations (i.e. pediatrics, geriatrics, diabetes)  intervention from preceptor to apply evidence-based literature/guidelines in specific patient populations (i.e. pediatrics, geriatrics, | Unable to apply evidence-based literature/guidelines in pediatrics, geriatrics, diabetes)  Requires significant intervention from preceptor to apply evidence-based literature/guidelines in specific patient populations (i.e. pediatrics, geriatrics, geriatrics | Unable to apply evidence-based literature/guidelines in specific patient populations (i.e. pediatrics, geriatrics, diabetes)  Requires significant intervention from preceptor to apply evidence-based literature/guidelines in specific patient populations (i.e. pediatrics, geriatrics, | Unable to apply evidence-based literature/guidelines in specific patient populations (i.e. pediatrics, geriatrics, diabetes)  Requires significant intervention from preceptor to apply evidence-based literature/guidelines in specific patient populations (i.e. pediatrics, geriatrics, diabetes)  Requires minimal intervention from preceptor to apply evidence-based literature/guidelines in specific patient propulations (i.e. populations (i.e. pediatrics, geriatrics, diabetes)  Requires minimal intervention from preceptor to apply evidence-based literature/guidelines in specific patient populations (i.e. populations (i.e. populations (i.e. pediatrics, geriatrics, diabetes)  Requires minimal intervention from preceptor to apply evidence-based literature/guidelines in specific patient populations (i.e. pediatrics, geriatrics, diabetes) |  |  |

#### (Question 21 of 33)

| Patient<br>Advocate                       | Final Assessment  |   |   |   |   |     |  |  |
|---|---|---|---|---|---|-----|--|--|
|   | No regard for patient's well- being. Unable or unwilling to assist patients in navigating the healthcare system | Occasional regard for patient's well-being. Assists patients in navigating the healthcare system with prompting | Usually shows regard<br>for the well-being of<br>patient. Assists<br>patients in navigating<br>the healthcare<br>system | Consistently shows regard for the well-being of the patient. Consistently assists & enables patients to navigate the health care system | Always shows regard for<br>the patient's well-being&<br>makes it a priority.<br>Always committed to<br>assist & enable patients<br>to navigate the<br>healthcare system | N/A |  |  |
| Midpoint Answer<br>or Patient<br>Advocate | 1   | 2   | 3   | 4   | 5   | 0   |  |  |

#### (Question 22 of 33)

| (Question 22 of 33)                             |  |
|---|--|
| Practice/Systems Management - Midpoint Comments |  |
| Practice/Systems Management - Final Comments    |  |

### **PROFESSIONALISM & ACCOUNTABILITY**

(Question 23 of 33)

| Self-Aware                         | Final Assessment   |   |   |   |  |  |  |
|------------------------------------|--|---|---|---|--|--|--|
|                                    | Unable to demonstrate motivation, lacks engagement. Ignores or resents feedback & does not change professional behavior. Lacks responsibility for growth & development | Sometimes demonstrates motivation & engagement. Reluctantly accepts feedback, but does not change behavior. Sometimes uses the Continuous Professional Development cycle for growth & development (reflect, plan, learn, evaluate, apply) | Usually demonstrates motivation & engagement. Responds to feedback & usually alters behavior. Usually uses the Continuous Professional Development cycle for growth & development (reflect, plan, learn, evaluate, apply) | Consistently demonstrates motivation & engagement. Solicits feedback & usually modifies behavior to improve performance. Consistently uses the Continuous Professional Development cycle for growth & development (reflect, plan, learn, evaluate, apply) | Always demonstrates motivation & engagement. Solicits feedback & consistently modifies behavior to improve performance. Always uses the Continuous Professional Development cycle for growth & development (reflect, plan, learn, evaluate, apply) |  |  |
| Midpoint Answer for<br>Self- Aware | 1  | 2   | 3   | 4   | 5  |  |  |

(Question 24 of 33)

| Leader                           | Final Assessment   |  |   |  |  |     |  |  |
|----------------------------------|--|--|---|--|--|-----|--|--|
|                                  | Interacts with a focus on<br>self, lacks<br>acknowledgement of team<br>contributions | Attempts to interact<br>&acknowledge team<br>contributions | Interacts to build relationships, values contributions & communicates to promote teamwork | Consistently interacts to build relationships, values contributions & communicates to promote teamwork | Effectively interacts to build relationships, values contributions & communicates to facilitate teamwork | N/A |  |  |
| Midpoint Answer<br>for Innovator | 1  | 2  | 3   | 4  | 5  | 0   |  |  |

(Question 25 of 33)

| Innovator                     | Final Assessment   |   |  |   |   |     |  |  |  |  |  |
|-------------------------------|--|---|--|---|---|-----|--|--|--|--|--|
|                               | Unable to recognize opportunities/ needs for innovation (practice &/or profession) | Recognizes<br>opportunities/needs<br>for innovation with<br>preceptor assistance<br>(practice &/or<br>profession) | Explores new<br>approaches to<br>improve outcomes or<br>overcome barriers<br>(practice &/or<br>profession) | Develops new approaches to improve outcomes or overcome barriers with preceptor assistance (practice &/or profession) | Develops new approaches to improve outcomes or overcome barriers (practice &/or profession) | N/A |  |  |  |  |  |
| Midpoint Answer for Innovator | 1  | 2   | 3  | 4   | 5   | 0   |  |  |  |  |  |

### (Question 26 of 33)

| Professional Behavior                           | Final Assessment  |  |   |  |   |  |  |  |  |  |
|---|---|--|---|--|---|--|--|--|--|--|
|   | Unable to set priorities or manage time. Does not complete assignments. Arrives late or leaves early. At least one unexcused absence. Does not understand the pharmacists' code of ethics & therefore is unable to utilize it consistently Violates HIPAA | Initiates activity only on request, follows through on questions only when pressured, attempts to set priorities, avoids accepting responsibility.  Does not complete assignments on time. Occasionally arrives late or leaves early. Occasionally acts in accordance with the pharmacists' code of ethics | Meets requirement of the experience. Assignments are completed on time & accepts responsibility when asked. Arrives on time & does not leave until basic responsibilities are met. Generally uses the pharmacists code of ethics in professional interactions | Asks questions freely, finds answers on his/her own, assignments are promptly completed. Effective time management & priority setting. Arrives on time & willing to volunteer additional time for projects & patient care activities. Utilizes the pharmacists' code of ethics consistently in all professional interactions | Uses down time soliciting questions, researches related areas. Assignments thoroughly completed. Excellent time management skills & priority setting. Arrives on time. Often arrives early & stays late. Develops student- initiated projects. Utilizes & has an in depth understanding of the pharmacists code of ethics |  |  |  |  |  |
| Midpoint Answer for<br>Professional<br>Behavior | 1   | 2  | 3   | 4  | 5   |  |  |  |  |  |

| (Question | 27  | of | 33 | ١ |
|-----------|-----|----|----|---|
| Question  | 121 | ΟI | 33 | , |

| Professionalism and Accountability - Midpoint Comments |  |
|--|--|
| Professionalism and Accountability - Final Comments    |  |

# **Additional Competencies (Optional)**

(Question 28 of 33)

| MID |   |     |     |               |          |   | FINAL |   |     |     |   |          |
|-----|---|-----|-----|---------------|----------|---|-------|---|-----|-----|---|----------|
|     |   | Sca | ıle |               | Comments | Additional Competencies   |       |   | Sca | ale |   | Comments |
| 1   | 2 | 3   | 4   | 5             |          | Write in your own rotation-specific competencies below if desired | 1     | 2 | 3   | 4   | 5 |          |
|     |   |     |     |               |          |   |       |   |     |     |   |          |
|     |   |     |     |               |          |   |       |   |     |     |   |          |
|     |   |     |     |               |          |   |       |   |     |     |   |          |
|     |   |     |     |               |          |   |       |   |     |     |   |          |
|     |   |     |     |               |          |   |       |   |     |     |   |          |
|     |   |     |     |               |          |   |       |   |     |     |   |          |
|     | 1 | 1 2 |     | Scale 1 2 3 4 |          |   |       |   |     |     |   |          |

| Average      | Points   |
|--------------|----------|
| 5            | 50       |
| 4.8-4.9      | 49       |
| 4.5-4.7      | 48       |
| 4.2-4.4      | 47       |
| 4.0-4.1      | 46       |
| 3.8-3.9      | 45       |
| 3.6-3.7      | 44       |
| 3.4-3.5      | 43       |
| 3.2-3.3      | 42       |
| 3.0-3.1      | 41       |
| 2.8-2.9      | 40       |
| 2.6-2.7      | 39       |
| 2.5          | 38       |
| 2.4 or below | 0 points |

(Question 29 of 33)

| Experiential Score |  |
|--------------------|--|
|--------------------|--|

For projects/exams graded by the site preceptor, please use the appropriate box(es) below. Questions? Contact the office of Experiential Education 405-601-2484.

(Question 30 of 33)

| Community Project Score<br>(Max of 20 points)   |  |
|---|--|
| Institutional Project Score (Max of 20 points)  |  |
| Selective A/B Projects Score (Max of 30 points) |  |

(Question 31 of 33)

| Exam Score Institutional or Selective A/B                 |  |
|---|--|
| (Medicine) (Max of 30 points)                             |  |
| Selective A/B (Medicine) Project Score (Max of 20 points) |  |

For the purposes of State Board Intern hours, how many hours of time unrelated to College or professional activities were missed and not made up by the conclusion of the rotation month? (Question 32 of 33)

hours

I verify I am a licensed preceptor signing for State Board Intern hours. (Question 33 of 33 - Mandatory)

| Selection | Option |
|-----------|--------|
|           | Yes    |
|           | No     |